

Claim Amendments

Please amend claim 24 as shown below.

Listing of Claims

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-17. (Cancelled)

18. (Previously presented) An information delivery system comprising:
a database that stores a first content item having a high frequency of requests and a second content item having a lower frequency of requests;
a broadcast station that broadcasts the first content item by utilizing broadcast waves;
a mobile communication terminal served by a mobile communication network; and
a delivery management server that, in response to a request for delivering information received from the mobile communication terminal, determines whether a requested content item comprises the first content item or the second content item stored in the database, and when the requested content item comprises the first content item, transmits only related information of the requested content item to the mobile communication terminal, and when the requested content item comprises the second content item, transmits at least the requested content item to the mobile communication terminal.

19. (Previously presented) The information delivery system of claim 18 wherein the delivery management server transmits a decryption key for the first content item as related information when the requested content item comprises the first content item without transmitting the first content item.

20. (Previously presented) The information delivery system of claim 18 wherein the delivery management server transmits the requested content item and related information of the requested content item when the requested content item comprises the second content item.

21. (Previously presented) The information delivery system of claim 20 wherein the delivery management server transmits a decryption key for the second content item as the related information of the requested content item.

22. (Previously presented) The information delivery system of claim 18 wherein the first content item comprises a song of a first song type and wherein the delivery management server transmits a decryption key for the song of first song type as the related information, the decryption key to be received by the mobile communication terminal and used by the mobile communication terminal to decrypt the song of the first song type broadcast by the broadcast station.

23. (Previously presented) The information delivery system of claim 22 wherein the second content item comprises a song of a second song type and wherein the delivery management server transmits a decryption key for the song of the second song type and the song of the second song type, the song of the second type to be received by the mobile communication terminal and the decryption key to be used by the mobile communication terminal to decrypt the song of the second song type.

24. (Currently amended) A mobile communication terminal operative in conjunction with a mobile communication network, the mobile communication terminal comprising:
radio circuitry configured to transmit a request for delivering information stored in remote database over the mobile communication network, the request specifying a requested content item which is a first content item having a high frequency of requests or a second content item having a lower frequency of requests, the radio circuitry further configured to receive transmissions which include only related information of the requested content item when the requested content item is the first content item and to receive transmissions including at least the requested content item when the requested content item comprises the second content item.

25. (Previously presented) The mobile communication terminal of claim 24 wherein the radio circuitry comprises:

a wireless communication unit to transmit the request and to receive the related information; and

a tuner to receive broadcast waves of a broadcast of the first content item.

26. (Previously presented) The mobile communication terminal of claim 25 wherein the wireless communication circuit is operative to receive a decryption key for the first content item as the related information when the requested content item comprises the first content item, the decryption key for decrypting the first content item received by the tuner.

27. (Previously presented) The mobile communication terminal of claim 25 wherein the user interface is further operative to be actuated by the user to select a network address of a destination to which the selected information is to be delivered.

28. (Previously presented) The mobile communication terminal of claim 25 wherein the radio circuitry is operative to transmit a request signal which includes identification information for the mobile communication terminal and information about the information is to be delivered selected by the user.

29. (Previously presented) The mobile communication terminal of claim 28 wherein the radio circuitry is operative to transmit a request signal which further includes an address of a delivery management server.

30. (Previously presented) The mobile communication terminal of claim 24 further comprising:

a user interface operative to prompt a user to select information to be delivered and to be actuated by the user to select the information to be delivered to the mobile communication terminal.

31. (Previously presented) A method for receiving selected information at mobile communication terminal operative in conjunction with a mobile communication network, the method comprising:

- receiving from a user of the mobile communication terminal a selection of a requested content item, the requested content item which is stored in a remote database accessible over the mobile communication network, the requested content item being a first content item having a high frequency of requests or a second item having a lower frequency of requests;

- transmitting a request for delivering information, the request specifying the requested content item;

- receiving transmissions which include only related information of the requested content item when the requested content item is the first content item; and

- receiving transmissions including at least the requested content item when the requested content item comprises the second content item.